



Formulation

Name	CONDITIONING HAND SOAP	
No.	371	
Description	This hand soap provides both cleansing and softening properties.	
Formulation	<u>INGREDIENTS:</u>	<u>% by Weight</u>
	=== Phase 1 ===	
	Deionized Water	q.s. to 100.0
	BIO-TERGE® AS-40 (or BIO-TERGE® AS-40 HA)	23.30
	AMMONYX® MO	5.00
	NINOL® 96-SL	3.50
	AMPHOSOL® CA	1.00
	Merquat 550 (ONDEO Nalco) Polyquaternium-7	0.25
	=== Phase 2 ===	
	Citric Acid	q.s.
	Fragrance, Dye, & Preservative	q.s.
	Sodium Chloride	q.s.
	Total	100.0
Procedure	1. Add ingredients of Phase I, heat to 60°C, blend until homogeneous. 2. Adjust pH to 6.0-7.0 with Citric Acid. 3. Add Fragrance, Dye, and Preservative, if desired. 4. Adjust to desired viscosity with Sodium Chloride. *Note: When formulating with BIO-TERGE® AS-40 HA, a greater amount of Citric Acid may be needed to adjust the pH within the recommended range as noted, than when formulating with BIO-TERGE® AS-40.	
Physical Properties	Appearance	Clear yellow liquid
	pH	6.0-7.0
	Viscosity Profile, cps:	
	as is	1,000
	0.5% sodium chloride	13,300
	1.0% sodium chloride	25,300
Storage/ Stability	Freeze thaw	Stable
	Elevated heat	Stable
External Comment	Marketing Notes: AMPHOSOL® HCA-HP may be a potential substitute for AMPHOSOL® CA. It should be noted that stability testing using this AMPHOSOL® HCA-HP has not been completed on this formulation, and in addition to the pH adjustment taking a greater amount of Citric Acid, the substitution may also yield slightly different physical properties.	
Registered Trademarks of Stepan Company	BIO-TERGE® AMMONYX® AMPHOSOL® NINOL®	
	For applications or product handling assistance, call our Technical Service Department at 1-800-745-7837 (U.S.) or	

For
Additional
Assistance

011-334-76-505-100 (Europe).

For ordering assistance, call our Account Service Department at 1-800-457-7673.

The information contained herein is based on the manufacturer's own study and the works of others and is subject to change without prior notice. The information is not intended to be all-inclusive, including as to the manner and conditions of use, handling, storage or disposal or other factors that may involve additional legal, environmental, safety or performance considerations.

Nothing contained herein grants or extends a license, express or implied, in connection with any patents issued or pending of the manufacturer or others, or shall be construed as a recommendation to infringe any patents or to violate any applicable laws.

STEPAN COMPANY MAKES NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR USE, AND NO WARRANTY OR GUARANTY OF ANY OTHER KIND, EXPRESS OR IMPLIED, IS MADE, INCLUDING REGARDING PERFORMANCE, SAFETY, SUITABILITY, STABILITY, ACCURACY, COMPLETENESS, ADEQUACY OR OTHERWISE.

Stepan Company (and its employees, subsidiaries and affiliates) shall not be liable (regardless of fault) to the vendee, its employees, or any other party in respect of this information, including in respect of its accuracy, completeness, adequacy, furnishing, use, or reliance upon, and the vendee assumes and releases Stepan Company (and its employees, subsidiaries and affiliates) from all liability, whether in tort, contract or otherwise.



Stepan Company
Northfield, Illinois 60093
Telephone (847) 446-7500

Revision Date: 04/20/2007 Publication Date: © 2016, Stepan Company. All rights reserved.