



# Formulation

Name	<b>FABRIC SOFTENER/SOUR WITH ACCOSOFT® 808</b>	
No.	448	
Description	Softener/s is non-yellowing, controls static, and maintains rewet properties of the fabric.	
Formulation	<u>INGREDIENTS:</u>	<u>% by Weight</u>
	Deionized Water	55.7
	Hydroxyacetic Acid (70%)	34.3
	ACCOSOFT® 808	10.0
	<b>Total</b>	<b>100.0</b>
Procedure	Charge Water. Slowly add ACCOSOFT® 808 to water while mixing. Add Hydroxyacetic Acid and mix until homogeneous.	
Physical Properties	Appearance at 25°C	Opaque liquid
	pH, as is	1.45
	Viscosity at 25°C, cps	325
	Viscosity after 4 wks at 50°C	separated
	Viscosity after freeze/thaw, cps	320
	Solids, %	32.0
Instructions for Use	Use 2.0 ounces per 100 pounds of dry fabric.	
External Comment	Hydroxyacetic acid is also known as glycolic acid.	
Registered Trademarks of Stepan Company	ACCOSOFT®	
For Additional Assistance	<p>For applications or product handling assistance, call our Technical Service Department at 1-800-745-7837 (U.S.) or 011-334-76-505-100 (Europe).</p> <p>For ordering assistance, call our Account Service Department at 1-800-457-7673.</p> <p>Nothing contained herein grants or extends a license, express or implied, in connection with patents, issued or pending, of the manufacturer or others. The information contained herein is based on the manufacturer's own study and the works of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness, or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) to the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of such information.</p>	



Stepan Company  
Northfield, Illinois 60093  
Telephone (847) 446-7500