



Formulation

Name	CLEAR GEL SHAMPOO	
No.	728	
Description	A mild gel shampoo with good tactile properties	
Formulation	INGREDIENTS:	<u>% by Weight</u>
	=== Phase 1 ===	
	Deionized Water	q.s. to 100.0
	STEOL® CS-330 (or STEOL® CS-330 HP)	15.0
	LATHANOL® LAL Powder	12.0
	AMPHOSOL® CA	4.0
	=== Phase 2 ===	
	NINOL® CMP	1.5
	Hydrolyzed Collagen	1.0
	=== Phase 3 ===	
	Sodium Chloride	q.s.
	Citric Acid	q.s.
	Fragrance, Dye, & Preservative	q.s.
	Total	100.0
Procedure	<ol style="list-style-type: none"> 1. In a suitable kettle (with mixing, heating, and cooling), add the first four ingredients (Phase 1) and mix well. 2. Heat kettle to 70°C with mixing until solution is clear. 3. Add Phase 2 and continue to mix until solution is clear at 70°C. 4. Cool to room temperature. 5. Adjust pH to 6.0–6.5 with Citric Acid. 6. Add Fragrance, Dye, and Preservative. 7. Add Sodium Chloride to adjust viscosity. <p>*Note: When formulating with STEOL® CS-330 HP, a greater amount of Citric Acid may be needed to adjust the pH within the recommended range as noted, than when formulating with STEOL® CS-330.</p>	
Physical Properties	Appearance at 25°C	Clear, water-white liquid
	pH, as is at 25°C	6.0–6.5
	Viscosity, as is (spindle #4 at 12 rpm), cps	2,650
	Color, Gardner	<1
Storage/Stability	6 weeks at 25°C	Stable
	6 weeks at 42°C	Stable
	6 weeks at 50°C	Stable
	Freeze/Thaw (3 cycles)	Pass
External Comment	Marketing Notes: AMPHOSOL® HCA-HP may be potential substitute for AMPHOSOL® CA. It should be noted that stability testing using AMPHOSOL® HCA-HP has not been completed on this formulation, and in addition to the pH adjustment taking a greater amount of Citric Acid, the substitution may also yield slightly different physical properties.	
Registered		

Trademarks
of Stepan
Company

STEOL®
LATHANOL®
AMPHOSOL®
NINOL®

For
Additional
Assistance

For applications or product handling assistance, call our Technical Service Department at 1-800-745-7837 (U.S.) or 011-334-76-505-100 (Europe).
For ordering assistance, call our Account Service Department at 1-800-457-7673.

The information contained herein is based on the manufacturer's own study and the works of others and is subject to change without prior notice. The information is not intended to be all-inclusive, including as to the manner and conditions of use, handling, storage or disposal or other factors that may involve additional legal, environmental, safety or performance considerations. Nothing contained herein grants or extends a license, express or implied, in connection with any patents issued or pending of the manufacturer or others, or shall be construed as a recommendation to infringe any patents or to violate any applicable laws.

STEPAN COMPANY MAKES NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR USE, AND NO WARRANTY OR GUARANTY OF ANY OTHER KIND, EXPRESS OR IMPLIED, IS MADE, INCLUDING REGARDING PERFORMANCE, SAFETY, SUITABILITY, STABILITY, ACCURACY, COMPLETENESS, ADEQUACY OR OTHERWISE.

Stepan Company (and its employees, subsidiaries and affiliates) shall not be liable (regardless of fault) to the vendee, its employees, or any other party in respect of this information, including in respect of its accuracy, completeness, adequacy, furnishing, use, or reliance upon, and the vendee assumes and releases Stepan Company (and its employees, subsidiaries and affiliates) from all liability, whether in tort, contract or otherwise.

Stepan 

Stepan Company
Northfield, Illinois 60093
Telephone (847) 446-7500

Revision Date: 12/21/2016 Publication Date: 04/23/2007 © 2016, Stepan Company. All rights reserved.