



Formulation

Name	SHAMPOO WITH HEAT PROTECTION	
No.	814	
Description	This shampoo protects the hair from heat in addition to having excellent cleansing and conditioning properties.	
Formulation	INGREDIENTS:	<u>% by Weight</u>
	=== Phase 1 ===	
	Deionized Water	q.s. to 100
	STEPANOL® AM-V	34.5
	STEOL® CS-230	32.0
	NINOL® LMP	2.0
	=== Phase 2 ===	
	HALLSTAR® SAB-2 (Hallstar) Distearyl Phthalic Acid Amide	3.5
	=== Phase 3 ===	
	Silsoft A-843 (Witco) Dimethicone Bisaminohydroxypropyl Copolyol	2.0
	=== Phase 4 ===	
	AMPHOSOL® HCG (or AMPHOSOL® HCG-HP)	6.7
	Liquid DL-Panthenol (Roche) Panthenol	1.0
	Hydrotriticum WAA (Croda) Wheat Amino Acids	1.8
	Crodasone W (Croda) Hydrolyzed Wheat Protein PG-Propyl Silanetriol	1.85
	=== Phase 5 ===	
	Sodium Hydroxide, 50% solution	
	Citric Acid, 50% solution	q.s.
	Sodium Chloride	q.s.
	Preservative, Dye, Fragrance	q.s.
	Total	100.0
Procedure	<ol style="list-style-type: none"> 1. Combine Phase 1 ingredients and heat to 76°C-79°C (170°F-175°F). 2. Add Phase 2 ingredient at 79°C (175°F). Mix until dispersed. 3. Add Phase 3 ingredient. Emulsify for 25-30 minutes while maintaining the temperature between 76°C-79°F (170°F-175°F). Start cooling. 4. At 38°C (100°F), add Phase 4 ingredients. Mix well. 5. When mixture cools to 27°C (80°F), add Phase 5 ingredients to adjust pH and viscosity at 27°C (80°F). Mix well. <p>*Note: When formulating with AMPHOSHOL® HCG-HP, a greater amount of Citric Acid, 50% solution, may be needed to adjust the pH within the recommended range as noted, than when formulating with AMPHOSOL® HCG.</p>	
Physical Properties	Appearance at 25°C	Opaque liquid
	pH, as is	5.8-6.2
	Viscosity at 25°C, cps	6,500-7,000
Storage/	3 months at 25°C	Stable

Stability	2 months at 50°C	Stable
Instructions for Use	Apply to wet hair. Lather, rinse and repeat, if desired.	
External Comment	Marketing Notes: Amide free indicates that this formulation does not contain an alkanolamide. STEOL® CS-230 PC HP may be a potential substitute for STEOL CS-230. It should be noted that stability testing using this STEOL® CS-230 PC HP has not been completed on this formulation, and in addition to the pH adjustment taking a greater amount of Citric Acid, 50% solution, the substitution may also yield slightly different physical properties. STEPANOL® AMV PCK may be a potential substitute for STEPANOL® AM-V. It should be noted that stability testing using this STEPANOL® AMV PCK has not been completed on this formulation. The substitution may yield slightly different physical properties.	
Registered Trademarks of Stepan Company	STEPANOL® NINOL® STEOL® AMPHOSOL®	
For Additional Assistance	For applications or product handling assistance, call our Technical Service Department at 1-800-745-7837 (U.S.) or 011-334-76-505-100 (Europe). For ordering assistance, call our Account Service Department at 1-800-457-7673. The information contained herein is based on the manufacturer's own study and the works of others and is subject to change without prior notice. The information is not intended to be all-inclusive, including as to the manner and conditions of use, handling, storage or disposal or other factors that may involve additional legal, environmental, safety or performance considerations. Nothing contained herein grants or extends a license, express or implied, in connection with any patents issued or pending of the manufacturer or others, or shall be construed as a recommendation to infringe any patents or to violate any applicable laws. STEPAN COMPANY MAKES NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR USE, AND NO WARRANTY OR GUARANTY OF ANY OTHER KIND, EXPRESS OR IMPLIED, IS MADE, INCLUDING REGARDING PERFORMANCE, SAFETY, SUITABILITY, STABILITY, ACCURACY, COMPLETENESS, ADEQUACY OR OTHERWISE. Stepan Company (and its employees, subsidiaries and affiliates) shall not be liable (regardless of fault) to the vendee, its employees, or any other party in respect of this information, including in respect of its accuracy, completeness, adequacy, furnishing, use, or reliance upon, and the vendee assumes and releases Stepan Company (and its employees, subsidiaries and affiliates) from all liability, whether in tort, contract or otherwise.	



Stepan Company
Northfield, Illinois 60093
Telephone (847) 446-7500

Revision Date: 12/21/2016 Publication Date: 03/31/2008 © 2016, Stepan Company. All rights reserved.