


## Product Bulletin

### STEPANATE® SXS



Sodium Xylenesulfonate

CAS Registry No. 1300-72-7

INCI Name Sodium Xylenesulfonate

STEPANATE SXS is used in liquid detergent formulations as a solubilizer, coupling agent and cloud point depressant. The hydrotropic or solubilizing property of STEPANATE SXS allows materials to be incorporated in formulations that normally are incompatible. STEPANATE SXS is also useful in lowering the cloud point or crystallization temperature of complex blends. STEPANATE SXS contains no alcohol so it will not decrease the flash point of your formulation. It is also chemically inert in most formulations.

STEPANATE SXS is commonly used as a coupling agent for surfactants in phosphate and silicate solutions. The coupling ability of STEPANATE SXS makes it possible to formulate detergents containing high percentages of inorganic builders. Heavy duty cleaners, wax strippers and complex dishwashing detergents can also be prepared without the use of organic solvents. It is also used as a non-caking agent in spray dried detergents.

Appearance at 25 °C.....	Clear liquid
pH, as is.....	7.5 - 9.5
Actives, %.....	40 - 42
Solids, % by Wt.....	42 - 44
Crystallization Point, °C (°F).....	16 (60)
Pour Point, °C (°F).....	-23 (-9)
Freeze Point, °C (°F).....	-7 (20)
Cloud Point, °C (°F).....	-5 (23)
Color, Klett (as is).....	50 max.
Viscosity at 0 °C, cps.....	21
Viscosity at 25 °C, cps.....	7
Viscosity at 60 °C, cps.....	2
Flash Point (PMCC), °C (°F).....	>94 (>201)
Density, g/ml (lbs/U.S. gal).....	1.164 (9.7)
RVOC, U.S. EPA, %.....	0

Product is readily biodegradable. A detailed biodegradability statement is available upon request.

STEPANATE SXS is practically non-toxic orally (LD<sub>50</sub> = 5 - 6 g/kg); it causes mild eye irritation and skin irritation. The product is also practically non-toxic to relatively harmless to aquatic organisms.

Product Name  
Chemical Structure

Chemical Description

CAS Registry No.

INCI Name

Applications

Typical Properties

Environmental Effects

Health Effects



## Storage & Handling

Normal safety precautions (i.e., gloves and safety goggles) should be employed when handling STEPANATE SXS. Contact with the eyes and prolonged contact with the skin should be avoided. Wash thoroughly after handling material.

It is recommended that STEPANATE SXS be stored in closed containers and kept in a cool, dry place. Liquipak or HDPE plastic drums are recommended for storage of STEPANATE SXS. If the material is exposed to cooler temperatures, it can crystallize and separate. It should be heated slowly and agitated gently to insure it's homogeneity before use.

**Bulk Storage Information:** STEPANATE SXS should be stored in 316 stainless steel or fiberglass with a corrosion liner. Mild agitation is recommended while storing to maintain homogeneity. Material should be stored between 23 – 40 °C (75 – 105 °F). An internal hairpin coil of 316 stainless steel with low pressure steam (under 50 psig) should be used if heating is required. Pumps, pipes and transfer lines should be 316 stainless steel.

**Standard Packaging:** STEPANATE SXS is available in drums and in bulk quantities.

## Workplace Exposure

Occupational exposure can occur primarily through skin contact or via inhalation of vapors and mists. Engineering controls, personal protective equipment, and other workplace practices should be used to control these exposures.

## Clearances

The international inventories (country clearances) of STEPANATE SXS can be found in Section 15 of the Safety Data Sheet (SDS). It is the responsibility of the formulator to review the chemical control regulations for each country where the end product is intended to be sold or used. If you have any further questions regarding inventories, please contact North American Technical Service at [techserv@stepan.com](mailto:techserv@stepan.com).

STEPANATE SXS is available in Kosher grade.

STEPANATE SXS is approved in the United States for use under 40CFR 180.920.

STEPANATE SXS meets the U.S. EPA Safe Choice Program's surfactant screen and is listed on [www.cleangredients.org](http://www.cleangredients.org) (an on-line database for green formulators). For further information, visit [www.cleangredients.org](http://www.cleangredients.org). Additional Stepan ingredient listing can be found at [www.stepan.com](http://www.stepan.com).

## Product Stewardship

This product bulletin has been written in accordance with ACC's Product Stewardship guidelines.

## Additional Safety Information

A Safety Data Sheet is available upon request.



The information contained herein is based on the manufacturer's own study and the works of others and is subject to change without prior notice. The information is not intended to be all-inclusive, including as to the manner and conditions of use, handling, storage or disposal or other factors that may involve additional legal, environmental, safety or performance considerations. Nothing contained herein grants or extends a license, express or implied, in connection with any patents issued or pending of the manufacturer or others, or shall be construed as a recommendation to infringe any patents. STEPAN COMPANY MAKES NO PRODUCT WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR USE, EXPRESS OR IMPLIED, AND NO OTHER WARRANTY OR GUARANTY, EXPRESS OR IMPLIED, IS MADE, INCLUDING AS TO INFORMATION REGARDING PERFORMANCE, SAFETY, SUITABILITY, STABILITY, ACCURACY, COMPLETENESS, OR ADEQUACY. Stepan Company (and its employees, subsidiaries and affiliates) shall not be liable (regardless of fault) to the vendee, its employees, or any other party for any direct, indirect, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy, furnishing, use, or reliance upon information provided herein. The vendee assumes and releases Stepan Company (and its employees, subsidiaries and affiliates) from all liability, whether in tort, contract or otherwise to the fullest extent possible under the relevant law."

**Stepan**   
**Corporate Headquarters**  
**Northfield, Illinois 60093, U.S.A.**  
**Phone: 847-446-7500**  
**Fax: 874-501-2100**  
**Website: [www.stepan.com](http://www.stepan.com)**

**For Technical Service Call:**  
Stepan North America **+1-800-745-7837**  
Stepan Mexico **+55-11-5089-2208**  
Stepan Quimica **+55-11-5089-2200**  
Stepan Colombia **+571-636-2808**  
Stepan Europe **+33-476-505-160**  
Stepan Asia **+656-879-9855**  
Stepan Philippines **+656-879-9855**

**For Customer Service Call:**  
Stepan North America **+1-800-457-7673**  
Stepan Mexico **+52-555-533-1967**  
Stepan Quimica **+55-11-5089-2200**  
Stepan Colombia **+57-6-8993125**  
Stepan UK **+44-161-338-5511**  
Stepan France **+33-476-50-51-00**  
Stepan Philippines **+63-2-842-7951**